

HS12-바코드 스캐너 핸드헬드 터미널

Pistol Grip을 사용하여 다각도 스캐닝 바코드를 충족합니다.



상세 설계



더 쉬운 스캐닝을 위해 25°
여유가 있는 Newland CM60
스캔 모듈



한 손 조작을 위한 측면 버튼



한 손 조작을 위한 측면 버튼

슈퍼 배터리 용량



연속사용 : 0~8시간 (사용자 환경에 따라
다름)

PE 고속 충전 지
원 충전 시간:
4시간

사용 산업



특급 배송



창고업



물류 센터



리테일 관리

IP65의 외함

울트라 러기드 엔클로저
IP65 밀봉
가볍지만 안정적인



1.5M 낙하 테스트

1.5m 낙하 테스트 통과 및
다양한 작업 환경에 적응



극한의 날씨에 쉽게 대처

고온 + 55 °C(131°F) ~ 저온 - 20 °C(-4°F)에서 자유롭게 사용하십시오.



지원 찾기

GPS, Beidou, GLONASS 지원



안드로이드

11

OS: 안드로이드 11

RAM+ROM: 3G+32G

최대 256GB Micro SD 카드 지원

옵션 액세서리:

충전 크래들

장치와 배터리를 동시에 충전



4슬롯 크래들

장치 및 배터리용 크래들 4개



HS12 사양

Dimensions	196.4 x 74.8 x 26.8mm
Weight	350g
Display	4inch IPS 480 x 800
Touch Panel	5-Point capacitive touch screen
Battery	Swappable 19.24Wh lithium-ion polymer battery (2600mAh, 7.4V) Continuous use: over 8 hours (depending on user environment) ; Charging time:4 hours
Keypad	35 keys (Power, 2 scan keys, volume +/-)
Expansion Slot	2 slots for Nano SIM card, 1 slot for Micro SD card
Interfaces	USB 2.0 Type-C, OTG
Sensors	Proximity sensor, light sensor, accelerometer sensor
CPU	MT6762 Octa-core 2.0GHz
RAM+ROM	3GB+32GB (up to 6GB+128GB)
Expansion	Supports up to 256 GB Micro SD card
Drop Specification	1.5m free drops to concrete
Sealing	IP65 per IEC sealing specifications
Operating System	Android 11
WLAN	IEEE802.11 a/b/g/n/ac, 2.4G/5G dual-band (Wi-Fi5)
Bluetooth	Bluetooth 5.0
GNSS	GPS/AGPS, GLONASS, BeiDou internal antenna
Barcode	1D / 2D